



IN 2673

September 9, 2005

Mail Stop: AF

Commissioner for Patents

P. O. Box 1450

Alexandria, VA 22313-1450

Re: Applicant: Ebersole, et al

Serial No.: 09/927,043 Filed: August 9, 2001

For: AUGMENTED REALITY DISPLAY INTEGRATED WITH SELF-CONTAINED

BREATHING APPARATUS Examiner: Mengistu, Amare

Group: 2673

Docket No.: 18349-00019 (formerly 16805-00035)

Dear Sir/Madam:

Enclosed is a Response to the Office Action mailed on June 9, 2005, in the subject application.

If for any reason this Response is found to be incomplete, or if at any time it appears that a telephone conference with counsel would help advance prosecution, please telephone the undersigned in Westborough, Massachusetts (508) 898-1501.

If any payment during prosecution is found to be insufficient or if any overpayment is found, please charge any deficiency or credit any overpayment to my deposit account number 50-1582. A copy of this letter is enclosed for use by the Finance Branch in the event that it is necessary to make any charge or credit to my deposit account.

Kindly acknowledge receipt of the foregoing by returning the enclosed self-addressed postcard.

Very truly yours.

Brian M. Dingman

BMD/lat Enclosures





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Ebersole, et al.

Paper No.:

Serial No.:

09/927,043

Examiner:

Mengistu, Amare

Filed:

August 9, 2001

Group No.:

2673

For:

Augmented Reality Display

Integrated with Self-Contained

Breathing Apparatus

Docket No.:

18349-00019

Mail Stop AF Commissioner for Patents P.O. Box 1450 Al'exandria, VA 22313-1450

CERTIFICATE OF FIRST CLASS MAILING

I hereby certify that this correspondence is being deposited with the U.S. Postal Service, via first class mail on this 9th day of September, 2005, in an exyelope addressed to Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria VA

RESPONSE

This Response is in reply to the Office Action mailed June 9, 2005, in the subject application. In response to the Office Action, please amend the above-identified application as follows.